


Valve Reseating Equipment

Valve Reseating Kit

for 3/8 through 1-7/8 in. Seats



Code Number	Description and Use
JC 5377	Valve Reseating Kit Complete for 3/8 through 1-7/8 in. Seats XD-5997
JC 5363	A Case XD-5766
JC 5368	Bodies C 1-9/32 in. -16 & 1.550-14 Thd. XB-5636
JC 5367	D 2.310-14 & 2.410-14 Thd. XB-5635
JC 5366	E 2.005-14 & 1.785-14 Thd. XB-5634
JC 5369	F 1-1/16 in.-16 & 1-3/16 in.-16 Thd. XB-5637
JC 5365	Spindles G Used as the only spindle for 3/8 in. reseating and refacing cutters and as the upper spindle for all other cutters, XA-5633A

Valve Reseating Equipment (Continued)

Code Number	Description and Use
JC 5380	H Lower spindle for 1/2 in. and 3/4 in. reseating cutters and all refacing cutters except 3/8 in. XA-5633B
JC 5381	J Lower spindle for reseating cutters 1, 1-1/4, 1-1/2, & 1-7/8 in. XA-5633C
JC 5364	L Handle XA-5632
JC 5356	Refacing Cutters (a) M For 3/8 in. Seat (b)
JC 5347	N For 1-7/8 in. Seat (c)
JC 5351	O For 1/2, 3/4, 1 in., Seat (c)
JC 5348	P For 1-1/2 in. Seat (c)
JC 5349	Q For 1-1/4 in. Seat (c)
JC 5353	Reseating Cutters R For 1 in. Seat (c)
JC 5350	S For 1-1/4 in. Seat (c)
JC 5354	T For 3/4 in. Seat (c)
JC 5352	U For 1-1/2 in. Seat (c)
JC 5382 (d)	V For 1/2 in. Seat (c)
JC 5355	W For 3/8 in. Seat (b)
JC 5346	X For 1-7/8 in. Seat (c)
JC 5371	Pilots Y For 1 in. Seat (c)
JC 5372	Z For 1-1/4 in. Seat (c)
JC 5370	A2 For 3/4 in. Seat (c)
JC 5375	B2 For 1/2 in. Seat (c)
JC 5373	C2 For 1-1/2 in. Seat (c)
JC 5374	D2 For 1-7/8 in. Seat (c)
JC 5376	E2 For 3/8 in. Seat (b)
	Resharpener For resharpener service, contact the local Johnson Controls office.


(a) When ordering Refacing Cutters, also order matching Pilots.

(b) Replaces the old (small) reseating kit Code No. X-200-36.

(c) Replaces the old (large) reseating kit Code No. X-200-37.

(d) Direct replacement for old or worn tools Code No. X-200-107 (Tool No. F-80006-F or FB-8006-F) and can be used in both 1/2 and 3/4 in. valves with 1/2 in. seat.

Valve Reseating Equipment (Continued)



Code Number	Description and Use
	<p>Mini Valve Reseating Kit For cutting or reaming 3/8, 1/2, and 3/4 in. seats in control valves. Kit includes a rod, locknut, threaded handle, collar, and threaded adaptor. Cutters must be ordered separately (see below).</p> <p>JC 5388 Entire Kit</p> <p>JC 5356 Refacing Cutters ^(a) For 3/8 in. Seat</p> <p>JC 5351 For 1/2, 3/4, and 1 in. Seat</p> <p>JC 5354 Reseating Cutters For 3/4 in. Seat</p> <p>JC 5382 For 1/2 in. Seat</p> <p>JC 5355 For 3/8 in. Seat</p> <p>JC 5370 Pilots For 3/4 in. Seat</p> <p>JC 5375 For 1/2 in. Seat</p> <p>JC 5376 For 3/8 in. Seat</p>

(a) When ordering Refacing Cutters, order matching Pilots.