

Fuse terminal with spring-loaded connection, for flat fuses Width: 6.2mm, Color: black only for short-circuit



Model	
product brand name	ALPHA
type of light source / as fault indicator	without
design of the fuse link	blade-type fuse
design of fuse holder	pluggable
General technical data	
insulation material	others
terminal contact spacing	8.2 mm
Supply voltage	
operating voltage / rated value	400 V
type of voltage / for supply of the fault indicator	others
Protection class	
combustibility class acc. to UL 94	V0
Main circuit	
operating current / rated value	30 A
Appearance	
color	black

## Product details

product component / required / connection plate No

## Number

number of terminal levels 1

## Connections

wire stripping length 12 mm

connectable conductor cross-section / solid

- minimum 6 mm<sup>2</sup>
- maximum 6 mm<sup>2</sup>

connectable conductor cross-section / stranded

- minimum 6 mm<sup>2</sup>
- maximum 6 mm<sup>2</sup>

connectable conductor cross-section / finely stranded

- with core end processing / minimum 4 mm<sup>2</sup>
- with core end processing / maximum 4 mm<sup>2</sup>
- without core end processing / minimum 4 mm<sup>2</sup>
- without core end processing / maximum 4 mm<sup>2</sup>

type of electrical connection

- 1 spring-loaded terminal
- 2 spring-loaded terminal

position / of the terminal top

## Mechanical Design

height / with lowest-profile installation 43.5 mm

length 86.5 mm

mounting type DIN rail 35 mm

material / of the insulating body Other

## Certificates

General Product Approval

Declaration of Con-  
formity

other



CSA



UR



EG-Konf.

[Miscellaneous](#)

## Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WH2000-1AG08>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/8WH2000-1AG08>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8WH2000-1AG08](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WH2000-1AG08)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>