

Fuse terminal with illuminated indicator, 12 V DC with 4 mm² spring-loaded connection, for automatic circuit breakers, Width: 8.2mm, Color: black only for short-circuit



Figure similar

Model	
product brand name	ALPHA
type of light source / as fault indicator	LED
design of the fuse link	blade-type fuse
design of fuse holder	pluggable
General technical data	
insulation material	others
terminal contact spacing	8.2 mm
Supply voltage	
operating voltage / rated value	400 V
type of voltage / for supply of the fault indicator	others
Protection class	
combustibility class acc. to UL 94	V0
Main circuit	
operating current / rated value	30 A

Appearance	
color	black

Product details	
product component / required / connection plate	No

Number	
number of terminal levels	1

Connections	
wire stripping length	12 mm
connectable conductor cross-section / solid	
• minimum	6 mm ²
• maximum	6 mm ²
connectable conductor cross-section / stranded	
• minimum	6 mm ²
• maximum	6 mm ²
connectable conductor cross-section / finely stranded	
• with core end processing / minimum	4 mm ²
• with core end processing / maximum	4 mm ²
• without core end processing / minimum	4 mm ²
• without core end processing / maximum	4 mm ²
type of electrical connection	
• 1	spring-loaded terminal
• 2	spring-loaded terminal
position / of the terminal	top

Mechanical Design	
height / with lowest-profile installation	43.5 mm
length	86.5 mm
mounting type	DIN rail 35 mm
material / of the insulating body	Other

Certificates

General Product Approval	Declaration of Con- formity	other
--------------------------	--------------------------------	-------



[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mfb=8WH2000-1BG28>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8WH2000-1BG28>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WH2000-1BG28

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>