

Fuse terminal for G fuse links 5x 20, 5x 25 and 5x 30 with 4 mm² spring-loaded connection, Width: 6.2mm, Color: black



Model	
product brand name	ALPHA
type of light source / as fault indicator	without
design of the fuse link	glass fuse 5x20 mm
design of fuse holder	pluggable
General technical data	
insulation material	others
terminal contact spacing	6.2 mm
Supply voltage	
operating voltage / rated value	250 V
type of voltage / for supply of the fault indicator	others
Protection class	
combustibility class acc. to UL 94	V0
Main circuit	
operating current / rated value	6.3 A
Appearance	
color	black

Product details

product component / required / connection plate No

Number

number of terminal levels 1

Connections

wire stripping length 12 mm

connectable conductor cross-section / solid

- minimum 6 mm²
- maximum 6 mm²

connectable conductor cross-section / stranded

- minimum 6 mm²
- maximum 6 mm²

connectable conductor cross-section / finely stranded

- with core end processing / minimum 4 mm²
- with core end processing / maximum 4 mm²
- without core end processing / minimum 4 mm²
- without core end processing / maximum 4 mm²

type of electrical connection

- 1 spring-loaded terminal
- 2 spring-loaded terminal

position / of the terminal top

Mechanical Design

height / with lowest-profile installation 62.5 mm

length 61.5 mm

mounting type DIN rail 35 mm

material / of the insulating body Other

Certificates

General Product Approval

Declaration of Con-
formity

other



CSA



UR



EG-Konf.

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WH2000-1GG08>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8WH2000-1GG08>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WH2000-1GG08

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>