

Two-tier PE terminal with spring-loaded connection, Cross section:  
0.08-2.5 mm<sup>2</sup>, Width: 5.2mm, Color: green-yellow



Model	
product brand name	ALPHA
General technical data	
insulation material	thermoplastic
terminal contact spacing	5.2 mm
Protection class	
combustibility class acc. to UL 94	V0
Appearance	
color	green-yellow
Product details	
product feature / PEN function	No
product component / required / connection plate	No
Number	
number of terminal levels	2
number of terminal points / per terminal level	2
Connections	

wire stripping length	10 mm
connectable conductor cross-section / solid	
• minimum	0.14 mm <sup>2</sup>
• maximum	4 mm <sup>2</sup>
connectable conductor cross-section / stranded	
• minimum	0.2 mm <sup>2</sup>
• maximum	4 mm <sup>2</sup>
connectable conductor cross-section / finely stranded	
• with core end processing / minimum	0.2 mm <sup>2</sup>
• with core end processing / maximum	2.5 mm <sup>2</sup>
• without core end processing / minimum	2.5 mm <sup>2</sup>
• without core end processing / maximum	2.5 mm <sup>2</sup>
type of electrical connection	
• 1	spring-loaded terminal
• 2	spring-loaded terminal
position / of the terminal	top

### Mechanical Design

height / with lowest-profile installation	47.5 mm
length	67.5 mm
mounting type	DIN rail 35 mm
net weight	15 g
material / of the insulating body	Thermoplastic

### Environmental conditions

ambient temperature / during operation	
• minimum	-25 °C
• maximum	35 °C

### Certificates

reference code	
• acc. to DIN EN 61346-2	X
• acc. to DIN EN 81346-2	X

<b>General Product Approval</b>	<b>Declaration of Con- formity</b>	<b>other</b>
---------------------------------	--	--------------



[Miscellaneous](#)

### Further information

Information- and Downloadcenter (Catalogs, Brochures,...)  
<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WH2020-0CF07>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/8WH2020-0CF07>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8WH2020-0CF07](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WH2020-0CF07)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>