

# KLM-A - Terminal strip marker carrier



1004348

<https://www.phoenixcontact.com/us/products/1004348>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Terminal strip markers, for strip marking, adjustable height, for use with end clamps E/UK, E/NS 35 N or CLIPFIX 35, lettering field size: 44 x 7 mm

## Commercial data

|                                      |                     |
|--------------------------------------|---------------------|
| Item number                          | 1004348             |
| Packing unit                         | 100 pc              |
| Minimum order quantity               | 100 pc              |
| Sales key                            | BG12                |
| Product key                          | BG211A              |
| Catalog page                         | Page 541 (C-3-2019) |
| GTIN                                 | 4017918012038       |
| Weight per piece (including packing) | 1.6 g               |
| Weight per piece (excluding packing) | 1.6 g               |
| Customs tariff number                | 39269097            |
| Country of origin                    | DE                  |

# KLM-A - Terminal strip marker carrier

1004348

<https://www.phoenixcontact.com/us/products/1004348>



## Technical data

### Product properties

|              |                 |
|--------------|-----------------|
| Product type | Marker carriers |
|--------------|-----------------|

### Dimensions

|                  |         |
|------------------|---------|
| Width            | 46 mm   |
| Height           | 9.5 mm  |
| Height NS 35/7,5 | 19 mm   |
| Depth            | 36.5 mm |

### Text field

|                   |       |
|-------------------|-------|
| Text field width  | 44 mm |
| Text field height | 7 mm  |

### Material specifications

|                                        |                                |
|----------------------------------------|--------------------------------|
| Color                                  | transparent                    |
| Material                               | ABS                            |
| Flammability rating according to UL 94 | HB                             |
| Components                             | free from silicone and halogen |

### Environmental and real-life conditions

#### Ambient conditions

|                                                     |                  |
|-----------------------------------------------------|------------------|
| Ambient temperature (operation)                     | -40 °C ... 80 °C |
| Recommended ambient temperature (storage/transport) | 23 °C            |
| Recommended humidity (storage/transport)            | 50 %             |

### Mounting

|               |         |
|---------------|---------|
| Mounting type | plug in |
|---------------|---------|

# KLM-A - Terminal strip marker carrier



1004348

<https://www.phoenixcontact.com/us/products/1004348>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-11.0 | 27281105 |
| ECLASS-12.0 | 27281105 |
| ECLASS-13.0 | 27281105 |

### ETIM

|          |          |
|----------|----------|
| ETIM 9.0 | EC002248 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 39121400 |
|-------------|----------|

# KLM-A - Terminal strip marker carrier



1004348

<https://www.phoenixcontact.com/us/products/1004348>

## Environmental product compliance

|                                         |                            |
|-----------------------------------------|----------------------------|
| EU RoHS                                 |                            |
| Fulfills EU RoHS substance requirements | Yes, No exemptions         |
| EU REACH SVHC                           |                            |
| REACH candidate substance (CAS No.)     | No substance above 0.1 wt% |

# KLM-A - Terminal strip marker carrier



1004348

<https://www.phoenixcontact.com/us/products/1004348>

## Accessories

### US-EMP (44X7) - Snap-in markers

0829438

<https://www.phoenixcontact.com/us/products/0829438>



Snap-in markers, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, THERMOMARK PRIME 2.0, mounting type: latching, Number of individual labels: 40, text field height: 7 mm, text field width: 44 mm

---

### EMT (44X7)R - Insert label

0819275

<https://www.phoenixcontact.com/us/products/0819275>



Insert label, Roll, white, unlabeled, can be labeled with: THERMOMARK E.300 (D)/600 (D), THERMOMARK ROLL 2.0, THERMOMARK ROLL, THERMOMARK ROLL X1, THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, cable diameter range: 16 ... 35 mm, mounting type: insert, Number of individual labels: 500, text field height: 7 mm, text field width: 44 mm

# KLM-A - Terminal strip marker carrier



1004348

<https://www.phoenixcontact.com/us/products/1004348>

## ES/KLM 2-GB - Insert strip

0800954

<https://www.phoenixcontact.com/us/products/0800954>

Insert strip, Sheet, white, unlabeled, can be labeled with: PLOTMARK, CMS-P1-PLOTTER, Office printing systems, perforated, mounting type: insert, Number of individual labels: 120, text field height: 7 mm, text field width: 44 mm



---

## ES/KLM-A - Insert strip

1004351

<https://www.phoenixcontact.com/us/products/1004351>

Insert strip, Sheet, white, unlabeled, can be labeled with: Office printing systems, CMS-P1-PLOTTER, mounting type: insert, for terminal block width: 7 mm, Number of individual labels: 25, text field height: 7 mm, text field width: 44 mm



# KLM-A - Terminal strip marker carrier

1004348

<https://www.phoenixcontact.com/us/products/1004348>



## ESL 44X7 - Insert strip

0808244

<https://www.phoenixcontact.com/us/products/0808244>

Insert strip, Sheet, white, unlabeled, can be labeled with: Office printing systems, CMS-P1-PLOTTER, perforated, mounting type: insert, Number of individual labels: 136, text field height: 7 mm, text field width: 44 mm



---

Phoenix Contact 2025 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)